



Pinault Foundation - Chamber of Commerce - Paris

Product Range brochure



FRENCH MANUFACTURING
DESIGN  



Offices

10 rue des Marronniers - 94 240 L'Hay les Roses - France

Factory

Zac des Coinchettes - 36 100 Issoudun - France

228 Rue des Coinchettes - 36 100 Issoudun - France

+33 (0)1 82 33 02 80

contact@spx-lighting.com

www.spx-lighting.com





DIOR Gallery in Paris - Lighting Design ACL



MADE IN
FRANCE

ISCAD

4
YEARS
WARRANTY

NEW
PRODUCT



Framing projector

Led nominal output : 2 470 lm - 2 530 lm
Beam Angle : zoom to 18° to 42°
Color temperature : 3 000K / 4 000K
CRI : 98 R9>90
Pot. / DALI 2 / CASAMBI

SOLLED

2
YEARS
WARRANTY

NEW
PRODUCT



Retrofit

Led Module : 18W
Color temperature : 3 000K / 4 000K
CRI : 95 R9>90
Dimmer
Lifetime L70 : 20 000 hours

ARTCAD

5
YEARS
WARRANTY



Framing projector

Led nominal output : 1 190 lm - 1 290 lm
Beam Angle : 18° / 25° / 35° / 50°
Color temperature : 3 000K / 4 000K
CRI : 98 R9>90
Pot. / DALI 2 / CASAMBI
Lifetime L80B10 : 110 000 hours

LEXYS Zoom

5
YEARS
WARRANTY



Mini focusable spotlight

Led nominal output : 1 512 lm - 1 680 lm
Beam Angle : Zoom from 15° to 50°
Color temperature : 3 000K / 4 000K
CRI : 98 R9>90
Pot. / DALI 2 / Casambi
Lifetime L80B10 : 100 000 hours

LEXYS

5
YEARS
WARRANTY



Mini focusable spotlight

Led nominal output : 1 190 lm - 1 290 lm
Beam Angle : 14° or 25° or 31°
Color temperature : 3 000K / 4 000K
CRI : 98 R9>90
Pot. / DALI 2 / Casambi
Lifetime L80B10 : 110 000 hours



« AQUA MATER » exhibition by Sebastião Salgado - France -
Lighting Design ACL

Compiègne Castle – France

SYCLOP LP 18



Framing projector

Led nominal output : 1 920 lm - 1 970 lm
Beam Angle : Zoom from 18° to 42°
Color temperature : 3000K / 4 000K
CRI : 97 R9>96
Pot. / Phase / DALI 2 / DMX / Casambi
Casambi + Dimmer
Lifetime L80B10 : 140 000 hours

SYCLOP LP 25



Framing projector

Led nominal output : 2 470 lm - 2 530 lm
Beam Angle : Zoom from 18° to 42°
Color temperature : 3 000K / 4 000K
CRI : 97 R9>96
Pot. / DALI 2 / DMX / Casambi
Lifetime L80B10 : 105 000 hours

SYCLOP LP 35



Framing projector

Led nominal output : 3 096 lm - 3 175 lm
Beam Angle : Zoom from 18° to 42°
Color temperature : 3 000K / 4 000K
CRI : 97 R9>96
Pot. / DALI 2 / DMX / Casambi
Lifetime L80B10 : 90 000 hours

SYCLOSPOT LP 18



Mini focusable spotlight

Led nominal output : 1 920 lm - 1 970 lm
Beam Angle : 22° or 40°
Color temperature : 3 000K / 4 000K
CRI : 97 R9>96
Pot. / Phase / DALI 2 / Casambi
Lifetime L80B10 : 140 000 hours

SYCLOSPOT LP 25



Mini focusable spotlight

Led nominal output : 2 470 lm - 2 530 lm
Beam Angle : 22° or 40°
Color temperature : 3 000K / 4 000K
CRI : 97 R9>96
Pot. / DALI 2 / DMX / Casambi
Lifetime L80B10 : 105 000 hours

SYCLOSPOT LP 35




Mini focusable spotlight

Led nominal output : 3 096 lm - 3 175 lm
Beam Angle : 22° or 40°
Color temperature : 3 000K / 4 000K
CRI : 97 R9>96
Pot. / DALI 2 / DMX / Casambi
Lifetime L80B10 : 90 000 hours



The Apocalypse Tapestry - Angers Castle – France



Caen Memorial – France

ILYAD-Wash TW



Wallwasher
 Led nominal output : 2 840 lm
 Beam Angle : Asymmetrical
 Color temperature : 2 700K to 6 000K
 CRI +: 90
 2 Pot. / DALI 2 / Casambi
 Lifetime L70 : 50 000 hours

ILYAD-Fresnel TW



Fresnel
 Led nominal output : 2 840 lm
 Beam Angle : 42° or 61°
 Color temperature : 2 700K to 6 300K
 CRI : 90
 2 Pot. / DALI 2 / Casambi
 Lifetime L70 : 50 000 hours

ILYAD W LP18



Wallwasher
 Led nominal output : 1 900 lm - 2 050 lm
 Beam Angle : Asymmetrical
 Color temperature : 3 000K / 4 000K
 CRI : 97 R9>90
 Pot. /DALI 2 /Casambi / DMX / Phase
 Lifetime L80B10 : 100 000 hours

ILYAD W LP 25



Wallwasher
 Led nominal output : 2 670 lm - 2 735 lm
 Beam Angle : Asymmetrical
 Color temperature : 3 000K / 4 000K
 CRI : 97 R9>90
 Pot. /DALI 2 /Casambi / DMX
 Lifetime L80B10 : 80 000 hours

MINI PIXIS



Fiber Optic Led Generator
 Led nominal output : 1 415 lm - 1 450 lm
 Fiber optic beam output : 30 mm
 Color temperature : 3 000K / 4 000K
 CRI : 97 R9>90
 Fixed / 1-10V / Dimmer
 Lifetime L80B10 : 70 000 hours to 25°

PIXIS



Fiber Optic Led Generator
 Led nominal output : 3 645 lm - 3 735 lm
 Fiber optic beam output : 30 mm
 Color temperature : 3 000K / 4 000K
 CRI : 97 R9>90
 1-10V / Dimmer
 Lifetime L80B10 : 50 000 hours to 25°

Showcase Lighting Range

DELTALINE 1R



Track mounted linear fixture
 Led nominal output : 1 200 lm
 Beam Angle : 22° / 40° / 19°x46° / 75°x120°
 Color temperature : 3 000K
 CRI : 95
 Pot. on spot / Track mounting 12V
 Long : 600mm
 Lifetime L70B10 : 50 000 hours

DELTALINE 1



Linear light fixture
 Led nominal output : 495 mm = 1 200 lm
 : 981 mm = 2 400 lm
 Beam Angle : 22° / 40° / 19°x46° / 75°x120°
 Color temperature : 3 000K - 4 000K
 CRI : 95
 Pot. 1-10V DALI
 Fixed power supply (Control according to power supply)
 Long : 495mm - 981mm
 Lifetime L70B10 : 50 000 hours

MOOVEO



Mini focusable spotlight focalisable
 Led nominal output : 120 lm
 Beam Angle : zoom 7° to 30° / 17° to 37°
 Color temperature : 3 000K / 4 000K
 CRI : 95
 Pot. on spot
 Lifetime L80B10 : 50 000 hours

MOOVEO HR



Mini focusable spotlight focalisable
 Led nominal output : 180 lm
 Beam Angle : zoom 7° to 30° / 17° to 37°
 Color temperature : 3 000K / 4 000K
 CRI : 95
 Pot. on spot
 Lifetime L80B10 : 50 000 hours

MICROCAD



Framing projector
 Led nominal output : 630 lm - 692 lm
 Beam Angle : 10° to 20° - 20° to 35° - 35° to 50°
 Color temperature : 3 000K / 4 000K
 CRI : 98 R9>90
 Tension : 12V
 Pot. on spot
 Lifetime L80B10 : 60 000 hours


MICROCAD 230



Framing projector
 Led nominal output : 630 lm - 692 lm
 Beam Angle : 10° to 20° - 20° to 35° - 35° to 50°
 Color temperature : 3 000K / 4 000K
 CRI : 98 R9>90
 Tension : 230V
 Pot. on spot
 Lifetime L80B10 : 60 000 hours



East India Company Museum
 Port Louis – France



Mohamed VI Museum
 Morocco – Lighting Design GELATIC



L'Homme Museum
 Paris – France